

Package ‘GeoFIS’

July 22, 2021

Type Package

Title Spatial Data Processing for Decision Making

Version 1.0.1

Author Serge Guillaume [aut],
Jean-Luc Lablée [aut, cre],
INRAE [cph] (National Research Institute for Agriculture, Food and
Environment, France)

Maintainer Jean-Luc Lablée <jean-luc.lablee@inrae.fr>

URL <https://www.geofis.org>

Description Methods for processing spatial data for decision-making.

This package is an R implementation of methods provided by the open source software GeoFIS <<https://www.geofis.org>> (Leroux et al. 2018) <[doi:10.3390/agriculture8060073](https://doi.org/10.3390/agriculture8060073)>. The main functionalities are the management zone delineation (Pedroso et al. 2010) <[doi:10.1016/j.compag.2009.10.007](https://doi.org/10.1016/j.compag.2009.10.007)> and data aggregation (Mora-Herrera et al. 2020) <[doi:10.1016/j.compag.2020.105624](https://doi.org/10.1016/j.compag.2020.105624)>.

License CeCILL

Encoding UTF-8

Depends R (>= 4.0.0), sp, data.tree, FisPro (>= 1.1.0)

Imports methods, Rdpack, foreach, R6, Rcpp (>= 1.0.0), rgeos, nmls

SystemRequirements GNU make, C++14, gmp, mpfr

RdMacros Rdpack

NeedsCompilation yes

LinkingTo Rcpp, BH, FisPro

Suggests testthat, rlang, knitr, rmarkdown, RColorBrewer, rgdal

RoxygenNote 7.1.1

VignetteBuilder knitr

Repository CRAN

Date/Publication 2021-07-22 08:20:13 UTC

R topics documented:

| | |
|-------------------------------|-----------|
| AggregFis | 2 |
| AggregFunction | 3 |
| AggregOwa | 3 |
| AggregWam | 4 |
| conductivity_2014 | 4 |
| conductivity_border | 5 |
| EuclideanDistance | 5 |
| Fusion | 6 |
| FusionLabel | 7 |
| fusion_cars | 8 |
| FuzzyDistance | 8 |
| GeoFIS | 9 |
| LearnOwaWeights | 10 |
| LearnWamWeights | 11 |
| MaximumDistance | 11 |
| MeanDistance | 12 |
| MinimumDistance | 12 |
| MinkowskiDistance | 12 |
| NewAggregFis | 13 |
| NewAggregFunction | 13 |
| NewAggregOwa | 14 |
| NewAggregWam | 14 |
| NewFisFusion | 15 |
| NewFusion | 16 |
| NewFusionAggreg | 16 |
| NewFusionInput | 17 |
| NewZoning | 17 |
| tolima | 18 |
| ZoneArea | 18 |
| ZoneSize | 19 |
| Zoning | 19 |
| Index | 23 |

| | |
|-----------|--------------------------|
| AggregFis | <i>Class "AggregFis"</i> |
|-----------|--------------------------|

Description

The Fis aggregation operator to be used in [Fusion](#)

Slots

fis [Fis](#) object, The Fis to be used in the aggregation operator

output_index [integer](#) value, The index (1-based index) of the output in the Fis to be used in the aggregation

See Also[NewAggregFis](#)[Aggregation using linguistic rules](#)

| | |
|----------------|-------------------------------|
| AggregFunction | <i>Class "AggregFunction"</i> |
|----------------|-------------------------------|

Description

The functional aggregation operator to be used in [Fusion](#)

Slots

func Function, The function used for the aggregation

See Also[NewAggregFunction](#)

| | |
|-----------|--------------------------|
| AggregOwa | <i>Class "AggregOwa"</i> |
|-----------|--------------------------|

Description

The OWA aggregation operator to be used in [Fusion](#)

Slots

weights [numeric](#) vector, The weights of the OWA aggregation operator (the sum of the weights must be equal to 1 without negative values)

See Also[NewAggregOwa](#)[Aggregation using numerical operators](#)

AggregWam

Class "AggregWam"

Description

The WAM aggregation operator to be used in [Fusion](#)

Slots

weights [numeric](#) vector, The weights of the WAM aggregation operator (the sum of the weights must be equal to 1 without negative values)

See Also

[NewAggregWam](#)

[Aggregation using numerical operators](#)

conductivity_2014

Soil conductivity 2014 dataset

Description

The soil conductivity of a vine plot in year 2014

Usage

```
data(conductivity_2014)
```

Format

[SpatialPointsDataFrame](#) object with 353 observations and 1 attribute:

conduct [numeric](#) value, The soil conductivity

| | |
|---------------------|-----------------------|
| conductivity_border | <i>Border dataset</i> |
|---------------------|-----------------------|

Description

The soil conductivity border of a vine plot

Usage

```
data(conductivity_border)
```

Format

[SpatialPolygonsDataFrame](#) object with 1 polygon delimiting the border of the vine plot:

id [integer](#) value, The id of the polygon

| | |
|-------------------|---------------------------------|
| EuclideanDistance | <i>The "Euclidean" distance</i> |
|-------------------|---------------------------------|

Description

Function to create an "Euclidean" distance

To be used with the [Zoning](#) combine_distance or attribute_distance field

Usage

```
EuclideanDistance()
```

Value

Euclidean distance object

Fusion

Class "Fusion"

Description

The main class to perform data fusion

More information is available in the vignette "Data Fusion with GeoFIS"

Active bindings

aggregate `Node` object, or a list of `Node`, The node(s) to aggregate

Methods**Public methods:**

- `Fusion$new()`
- `Fusion$perform()`
- `Fusion$output()`

Method `new()`: The constructor to build an object of class `Fusion`.

Usage:

`Fusion$new(source)`

Arguments:

source `data.frame` or `Spatial*DataFrame` object of `sp` package

Keep only numeric attributes

Method `perform()`: Perform the data fusion

Usage:

`Fusion$perform()`

Method `output()`: Get the output aggregated data (same object type as data source)

Usage:

`Fusion$output()`

Returns: `data.frame` or `Spatial*DataFrame` object

References

Guillaume S, Bates T, Lablee J, Betts T, Taylor J (2020). "Combining Spatial Data Layers Using Fuzzy Inference Systems: Application to an Agronomic Case Study." In *Proceedings of the 6th International Conference on Geographical Information Systems Theory, Applications and Management (GISTAM 2020)*, 62–71. ISBN 978-989-758-425-1.

Mora-Herrera DY, Guillaume S, Snoeck D, Zuniga Escobar O (2020). "A fuzzy logic based soil chemical quality index for cacao." *Computers and Electronics in Agriculture*, **177**, 105624. doi: [10.1016/j.compag.2020.105624](https://doi.org/10.1016/j.compag.2020.105624), <https://doi.org/10.1016/j.compag.2020.105624>.

See Also[NewFusion](#)[Data Fusion documentation](#)**Examples**

```
# more information about this example in the vignette "Data Fusion with GeoFIS"
# section "Learning illustration"

library(GeoFIS)

data(fusion_cars)

fusion <- NewFusion(fusion_cars)
a <- NewFusionInput("a", NewMfTrapezoidalInf(4, 20), "A")
v <- NewFusionInput("v", NewMfTrapezoidalSup(100, 500), "V")
s <- NewFusionInput("s", NewMfTrapezoidalSup(120, 220), "S")
c <- NewFusionInput("c", NewMfTrapezoidalInf(6, 16), "C")
owa_aggreg <- NewFusionAggreg("score", NewAggregOwa(c(1, 0, 0, 0)), a, v, s, c)
fusion$aggregate <- owa_aggreg
fusion$perform()
score <- fusion$output()["score"]
print(score)
```

FusionLabel

*Class "FusionLabel"***Description**

Defines the allowed labels for the **Mfs** of the fuzzy inputs or output in the **Fis** "Fusion"

Active bindings

very_low **character** vector (read-only), The very_low label

low **character** vector (read-only), The low label

average **character** vector (read-only), The average label

high **character** vector (read-only), The high label

very_high **character** vector (read-only), The very_high label

Methods**Public methods:**

- [FusionLabel\\$get_labels\(\)](#)

Method `get_labels()`: Get the allowed labels depending on the granularity in the [Fis](#)
 for granularity 2, allowed labels are: [low, high]
 for granularity 3, allowed labels are: [low, average, high]
 for granularity 4, allowed labels are: [very_low, low, high, very_high]
 for granularity 5, allowed labels are: [very_low, low, average, high, very_high]

Usage:

`FusionLabel$get_labels(granularity)`

Arguments:

granularity [integer](#) value, The granularity of the fuzzy inputs or output in the [Fis](#) (value in range [2, 5])

Returns: [character](#) vector, The allowed labels for the granularity

fusion_cars

Fusion Cars dataset

Description

Illustration dataset for data fusion numerical operators learning

Usage

`data(fusion_cars)`

Format

[data.frame](#) object with four cars described by four attributes:

A [numeric](#) value, the acceleration time (s) from 0 to 100 km/h

V [numeric](#) value, the volume of the trunk (l)

S [numeric](#) value, the maximum speed (km/h)

C [numeric](#) value, the gas consumption (l per 100 km)

FuzzyDistance

The "Fuzzy" distance

Description

Function to create a "Fuzzy" distance

The fuzzy distance function is based on a fuzzy partition that allows for integrating expert knowledge into distance calculations

To be used with the [Zoning](#) `attribute_distance` field

Usage

```
FuzzyDistance(fisin)
```

Arguments

`fisin` **FisIn** object, The partition used for the fuzzy distance (must be a standardized fuzzy partition)

Value

Fuzzy distance object

References

Guillaume S, Charnomordic B, Loisel P (2013). “Fuzzy partitions: a way to integrate expert knowledge into distance calculations.” *International Journal of Information Sciences*, **245**, 76–95. doi: [10.1016/j.ins.2012.07.045](https://doi.org/10.1016/j.ins.2012.07.045), <https://doi.org/10.1016/j.ins.2012.07.045>.

Guillaume S, Charnomordic B (2013). “Fuzzy partition-based distance practical use and implementation.” In CFP12FUZ-USB ICN (ed.), *IEEE International Conference on Fuzzy Systems, paper F-1136*.

GeoFIS

GeoFIS package

Description

GeoFIS is an open source software that provides methods for processing spatial data for decision making through a user-friendly interface (Leroux et al. 2018).

This R package implements two main functionalities: management zone delineation (Pedroso et al. 2010) and data aggregation (Mora-Herrera et al. 2020; Guillaume et al. 2020). All the mentioned publications are available from the **GeoFIS** web site.

Author(s)

GeoFIS Team <contact@geofis.org>

References

Leroux C, Jones H, Pichon L, Guillaume S, Lamour J, Taylor J, Naud O, Crestey T, Lablee J, Tisseyre B (2018). “GeoFIS: An Open Source, Decision-Support Tool for Precision Agriculture Data.” *Agriculture*, **8**(6). ISSN 2077-0472, doi: [10.3390/agriculture8060073](https://doi.org/10.3390/agriculture8060073), <https://www.mdpi.com/2077-0472/8/6/73>.

Guillaume S, Charnomordic B, Tisseyre B (2012). “Open source software for modelling using agro-environmental georeferenced data.” In CFP12FUZ-USB ICN (ed.), *IEEE International Conference on Fuzzy Systems*, 1074–1081. ISBN 978-1-4673-1505-0.

Guillaume S, Charnomordic B, Tisseyre B, Taylor J (2013). “Soft computing-based decision support tools for spatial data.” *International Journal of Computational Intelligence Systems*, **6**, 18–33.

Pedroso M, Taylor J, Tisseyre B, Charnomordic B, Guillaume S (2010). "A segmentation algorithm for the delineation of management zones." *Computer and Electronics in Agriculture*, **70**(1), 199–208. doi: [10.1016/j.compag.2009.10.007](https://doi.org/10.1016/j.compag.2009.10.007), <https://doi.org/10.1016/j.compag.2009.10.007>.

Mora-Herrera DY, Guillaume S, Snoeck D, Zuniga Escobar O (2020). "A fuzzy logic based soil chemical quality index for cacao." *Computers and Electronics in Agriculture*, **177**, 105624. doi: [10.1016/j.compag.2020.105624](https://doi.org/10.1016/j.compag.2020.105624), <https://doi.org/10.1016/j.compag.2020.105624>.

Guillaume S, Bates T, Lablee J, Betts T, Taylor J (2020). "Combining Spatial Data Layers Using Fuzzy Inference Systems: Application to an Agronomic Case Study." In *Proceedings of the 6th International Conference on Geographical Information Systems Theory, Applications and Management (GISTAM 2020)*, 62–71. ISBN 978-989-758-425-1.

See Also

<https://www.geofis.org>

LearnOwaWeights

Learn the OWA weights

Description

Learn the OWA weights using a non-negative least-square optimization method with the constraint that the sum of weights must be equal to 1. The input values are previously sorted in increasing order. The resulting weights are given from min to max. More information is available in the vignette "Data Fusion with GeofIS", section "Learning illustration".

Usage

```
LearnOwaWeights(data, target, digits = 3)
```

Arguments

| | |
|--------|--|
| data | data.frame or numeric matrix, The input data (all columns must be in range [0, 1]) |
| target | numeric vector, The target data (must be in range [0, 1]) |
| digits | integer value, The number of digits to which weights are to be rounded (default is 3) |

Value

[numeric](#) vector, The OWA weights

| | |
|-----------------|------------------------------|
| LearnWamWeights | <i>Learn the WAM weights</i> |
|-----------------|------------------------------|

Description

Learn the WAM weights using a non-negative least-square optimization method with the constraint that the sum of weights must be equal to 1.

More information is available in the vignette "Data Fusion with GeoFIS", section "Learning illustration".

Usage

```
LearnWamWeights(data, target, digits = 3)
```

Arguments

| | |
|--------|--|
| data | data.frame or numeric matrix, The input data (all columns must be in range [0, 1]) |
| target | numeric vector, The target data (must be in range [0, 1]) |
| digits | integer value, The number of digits to which weights are to be rounded (default is 3) |

Value

[numeric](#) vector, The WAM weights

| | |
|-----------------|-------------------------------|
| MaximumDistance | <i>The "Maximum" distance</i> |
|-----------------|-------------------------------|

Description

Function to create a "Maximum" distance
To be used with the [Zoning](#) zone_distance field

Usage

```
MaximumDistance()
```

Value

Maximum distance object

| | |
|--------------|----------------------------|
| MeanDistance | <i>The "Mean" distance</i> |
|--------------|----------------------------|

Description

Function to create a "Mean" distance
To be used with the [Zoning](#) zone_distance field

Usage

MeanDistance()

Value

Mean distance object

| | |
|-----------------|-------------------------------|
| MinimumDistance | <i>The "Minimum" distance</i> |
|-----------------|-------------------------------|

Description

Function to create a "Minimum" distance
To be used with the [Zoning](#) zone_distance field

Usage

MinimumDistance()

Value

Minimum distance object

| | |
|-------------------|---------------------------------|
| MinkowskiDistance | <i>The "Minkowski" distance</i> |
|-------------------|---------------------------------|

Description

Function to create a "Minkowski" distance
To be used with the [Zoning](#) combine_distance field

Usage

MinkowskiDistance(power = 2)

Arguments

power [numeric](#) value, The power of the Minkowski distance
The default value is 2 (equivalent to euclidean distance)

Value

Minkowski distance object

NewAggregFis *Create object of class "AggregFis"*

Description

Function to create an aggregation operator of class [AggregFis](#) to be used in [Fusion](#)

Usage

```
NewAggregFis(fis, output_index = 1)
```

Arguments

fis [Fis](#) object, The Fis to be used in the aggregation operator
output_index [integer](#) value, The index (1-based index) of the output in the Fis to be used in
the aggregation (the default is 1)

Value

[AggregFis](#) object

See Also

[Aggregation using linguistic rules](#)

NewAggregFunction *Create object of class "AggregFunction"*

Description

Function to create an aggregation operator of class [AggregFunction](#) to be used in [Fusion](#)

Usage

```
NewAggregFunction(func)
```

Arguments

func The function to be used for the aggregation

NewAggregOwa *Create object of class "AggregOwa"*

Description

Function to create an aggregation operator of class [AggregOwa](#) to be used in [Fusion](#)

Usage

```
NewAggregOwa(weights)
```

Arguments

weights **numeric** vector, The weights of the OWA aggregation operator (the sum of the weights must be equal to 1 without negative values)

See Also

[Aggregation using numerical operators](#)

NewAggregWam *Create object of class "AggregWam"*

Description

Function to create an aggregation operator of class [AggregWam](#) to be used in [Fusion](#)

Usage

```
NewAggregWam(weights)
```

Arguments

weights **numeric** vector, The weights of the WAM aggregation operator (the sum of the weights must be equal to 1 without negative values)

See Also

[Aggregation using numerical operators](#)

NewFisFusion*Create object of class "Fis" to be used in data fusion*

Description

Function to create object of class [Fis](#) to be used in [AggregFis](#)

Usage

```
NewFisFusion(  
  fis_name,  
  input_names,  
  input_granularities,  
  output_name,  
  output_conclusions  
)
```

Arguments

fis_name [character](#) vector, The name of the Fis

input_names [character](#) vector, The Fis inputs names

input_granularities
 [integer](#) vector, The granularity (number of membership functions) for each Fis input (granularity must be in range [2, 5])

output_name [character](#) vector, The name of the Fis output

output_conclusions
 [numeric](#) or [character](#) vector, The conclusions of the rules in the Fis
the rules are generated according to the granularity of each input, in the lexicographic order of inputs Mfs
(prod(input_granularities) rules are generated)
if [numeric](#) vector, a crisp output [FisOutCrisp](#) will be added to the Fis (all output conclusions must be in range [0, 1])
if [character](#) vector, a fuzzy output [FisOutFuzzy](#) will be added to the Fis, the output_conclusions contains the labels of Mfs in the fuzzy output (labels defined on [FusionLabel](#))
the length of output_conclusions must be equal to the number of generated rules.

Value

[Fis](#) object

See Also

[Aggregation using linguistic rules](#)

| | |
|-----------|--|
| NewFusion | <i>Create object of class "Fusion"</i> |
|-----------|--|

Description

Function to create object of class [Fusion](#)

Usage

```
NewFusion(...)
```

Arguments

... arguments of [Fusion](#) constructor

Value

[Fusion](#) object

| | |
|-----------------|---|
| NewFusionAggreg | <i>Create an aggregation node to be used in data fusion</i> |
|-----------------|---|

Description

Function to create an aggregation node to be used in [Fusion](#)

Usage

```
NewFusionAggreg(name, aggreg, ...)
```

Arguments

| | |
|--------|--|
| name | character vector, The name of the node |
| aggreg | Aggreg object, The aggregation operator to be used to compute the aggregation of satisfaction degrees must be an AggregWam , AggregOwa , AggregFis or AggregFunction object |
| ... | Node objects, The nodes to aggregate can be an input node built with NewFusionInput or an aggregate node built with NewFusionAggreg for a hierarchical aggregation structure |

Value

[Node](#) object

See Also

[Aggregation of the degrees](#)

| | |
|----------------|---|
| NewFusionInput | <i>Create an input node to be used in data fusion</i> |
|----------------|---|

Description

Function to create an input node to be used in [Fusion](#)

Usage

```
NewFusionInput(name, mf, attribute = name)
```

Arguments

| | |
|-----------|---|
| name | character vector, The name of the node |
| mf | Mf object, The membership function to be used to compute the satisfaction degree of the input |
| attribute | character vector, The attribute name in the source dataset (default is the same as name) |

Value

[Node](#) object

See Also

[From raw data to satisfaction degrees](#)

| | |
|-----------|--|
| NewZoning | <i>Create object of class "Zoning"</i> |
|-----------|--|

Description

Function to create object of class [Zoning](#)

Usage

```
NewZoning(...)
```

Arguments

... arguments of [Zoning](#) constructor

Value

[Zoning](#) object

 tolima

Tolima dataset

Description

Soil experimental data in three municipalities of Tolima department in Colombia (Mora-Herrera et al. 2020)

Usage

```
data(tolima)
```

Format

`data.frame` object with 30 observations and 8 attributes:

Cadmium `numeric` value, Cadmium in Soil (ppm)

pH `numeric` value, pH Soil (°pH)

OM `numeric` value, Organic Matter (%)

P `numeric` value, Available Phosphorus (ppm)

K `numeric` value, Exchangeable Potassium (meq/100 g)

BalanceGap `numeric` value, Balance Gap (%)

Ngap_N_OpN `numeric` value, N Gap (N/Ntarget)

Base_S `numeric` value, Base Saturation (%)

References

Mora-Herrera DY, Guillaume S, Snoeck D, ZÃ±iga Escobar O (2020). "A fuzzy logic based soil chemical quality index for cacao." *Computers and Electronics in Agriculture*, **177**, 105624. doi: [10.1016/j.compag.2020.105624](https://doi.org/10.1016/j.compag.2020.105624), <https://doi.org/10.1016/j.compag.2020.105624>.

 ZoneArea

The "Area" smallest zone

Description

Function to create an "Area" smallest zone

To be used with the `Zoning` `smallest_zone` field

Usage

```
ZoneArea(area)
```

Arguments

area [numeric](#) value, The minimum area of the zone to retain the zone in the [Zoning](#) process

Value

Area Smallest zone object

| | |
|----------|---------------------------------|
| ZoneSize | <i>The "Size" smallest zone</i> |
|----------|---------------------------------|

Description

Function to create a "Size" smallest zone
To be used with the [Zoning](#) smallest_zone field

Usage

ZoneSize(number_of_points)

Arguments

number_of_points [integer](#) value, The minimum number of points in the zone to retain the zone in the [Zoning](#) process

Value

Size Smallest zone object

| | |
|--------|-----------------------|
| Zoning | <i>Class "Zoning"</i> |
|--------|-----------------------|

Description

The main class to perform zoning
A complete use-case example is described in the vignette "Zoning with GeoFIS"

Active bindings

- border** [SpatialPolygons](#) object, The border used to limit the processed area, or NULL if the Convex Hull of data source is used
 Only data points within the border polygon are processed
 The default value is NULL
- neighborhood** [numeric](#) value, The minimum edge length shared by two Voronoi polygons for being considered as neighbors
 or NULL if all contiguous Voronoi polygons are considered as neighbors
 The default value is NULL
- attribute_distance** [list](#) of Distance object (write-only), The functions used to compute the distance between two data points in the attribute space
 The length of the list must be equal to the number of zonable attributes, the distance objects are treated in the order of zonable attributes
 In case of a single attribute into the zonable dataset, the [list](#) is optional and a single Distance object can be provided
 Allowed distance objects: [EuclideanDistance](#), [FuzzyDistance](#) or NULL if the attribute should not be used in the zoning process
 The default value is a [list](#) of [EuclideanDistance](#)
 See [Zoning documentation main parameters](#) univariate distance
- combine_distance** Distance object (write-only), The function used to combine attribute distances in case of multivariate zoning
 Allowed distance objects: [EuclideanDistance](#) or [MinkowskiDistance](#)
 The default value is [EuclideanDistance](#) See [Zoning documentation main parameters](#) multivariate combination
- zone_distance** Distance object (write-only), The function used to compute the distance between 2 zones
 Allowed distance objects: [MaximumDistance](#), [MinimumDistance](#) or [MeanDistance](#)
 The default value is [MaximumDistance](#)
 The pair of zones to be merged are those for which the `zone_distance` is minimum.
 See [Zoning documentation main parameters](#) between zone distance
- smallest_zone** Smallest zone object (write-only), This criterion is used to determine the smallest size for a zone (number of points or area) to be kept in the final map
 Allowed Smallest zone objects: [ZoneSize](#) or [ZoneArea](#)
 The default value is [ZoneSize](#) with 1 point

Methods**Public methods:**

- [Zoning\\$new\(\)](#)
- [Zoning\\$zonable_data\(\)](#)
- [Zoning\\$perform_voronoi\(\)](#)
- [Zoning\\$voronoi_map\(\)](#)
- [Zoning\\$perform_neighborhood\(\)](#)

- [Zoning\\$neighborhood_map\(\)](#)
- [Zoning\\$perform_zoning\(\)](#)
- [Zoning\\$map_size\(\)](#)
- [Zoning\\$map\(\)](#)
- [Zoning\\$maps\(\)](#)

Method [new\(\)](#): Constructor, create a new instance of [Zoning](#)

Usage:

```
Zoning$new(source, warn = TRUE)
```

Arguments:

source [SpatialPointsDataFrame](#) or [SpatialMultiPointsDataFrame](#) object, The data source

warn [logical](#) value, Show warnings if TRUE, default value is TRUE

Method [zonable_data\(\)](#): Get the zonable data

Keep only the attributes that can be used in the zoning process, meaning numeric attributes, without missing values and with a range that is not limited to a unique value

The last condition is required by the min-max standardization process

Usage:

```
Zoning$zonable_data()
```

Returns: [SpatialPointsDataFrame](#) object

Method [perform_voronoi\(\)](#): Compute the Voronoi diagram

Usage:

```
Zoning$perform_voronoi()
```

Method [voronoi_map\(\)](#): Get the Voronoi map

Usage:

```
Zoning$voronoi_map()
```

Returns: [SpatialPolygons](#) object

Method [perform_neighborhood\(\)](#): Identify adjacent polygons in the voronoi tessellation

Usage:

```
Zoning$perform_neighborhood()
```

Method [neighborhood_map\(\)](#): Get the neighborhood map

Usage:

```
Zoning$neighborhood_map()
```

Returns: [SpatialLinesDataFrame](#) object

Method [perform_zoning\(\)](#): Perform the zoning

Usage:

```
Zoning$perform_zoning()
```

Method [map_size\(\)](#): Get the number of maps with different number of zones available after perform zoning

Usage:

Zoning\$map_size()

Returns: [integer](#) value

Method map(): Get the map corresponding to a number of zones

Usage:

Zoning\$map(number_of_zones)

Arguments:

number_of_zones [integer](#) value, The number of zones in the map

Returns: [SpatialPolygonsDataFrame](#) object

Method maps(): Get the maps corresponding to a number of zones

Usage:

Zoning\$maps(number_of_zones)

Arguments:

number_of_zones [integer](#) vector, The number of zones in each map

Returns: [list](#) of [SpatialPolygonsDataFrame](#) object

References

Pedroso M, Taylor J, Tisseyre B, Charnomordic B, Guillaume S (2010). “A segmentation algorithm for the delineation of management zones.” *Computer and Electronics in Agriculture*, **70**(1), 199–208. doi: [10.1016/j.compag.2009.10.007](https://doi.org/10.1016/j.compag.2009.10.007), <https://doi.org/10.1016/j.compag.2009.10.007>.

Guillaume S, Charnomordic B, Loisel P (2013). “Fuzzy partitions: a way to integrate expert knowledge into distance calculations.” *International Journal of Information Sciences*, **245**, 76–95. doi: [10.1016/j.ins.2012.07.045](https://doi.org/10.1016/j.ins.2012.07.045), <https://doi.org/10.1016/j.ins.2012.07.045>.

Guillaume S, Charnomordic B (2013). “Fuzzy partition-based distance practical use and implementation.” In CFP12FUZ-USB ICN (ed.), *IEEE International Conference on Fuzzy Systems, paper F-1136*.

See Also

[NewZoning](#)

[Zoning documentation](#)

Index

* datasets

- conductivity_2014, 4
- conductivity_border, 5
- fusion_cars, 8
- tolima, 18

- AggregFis, 2, 13, 15, 16
- AggregFunction, 3, 13, 16
- AggregOwa, 3, 14, 16
- AggregWam, 4, 14, 16

- character, 7, 8, 15–17
- conductivity_2014, 4
- conductivity_border, 5

- data.frame, 6, 8, 10, 11, 18

- EuclideanDistance, 5, 20

- Fis, 2, 7, 8, 13, 15
- FisIn, 9
- FisOutCrisp, 15
- FisOutFuzzy, 15
- Fusion, 2–4, 6, 6, 13, 14, 16, 17
- fusion_cars, 8
- FusionLabel, 7, 15
- FuzzyDistance, 8, 20

- GeoFIS, 9
- GeoFIS-package (GeoFIS), 9

- integer, 2, 5, 8, 10, 11, 13, 15, 19, 22

- LearnOwaWeights, 10
- LearnWamWeights, 11
- list, 6, 20, 22
- logical, 21

- MaximumDistance, 11, 20
- MeanDistance, 12, 20
- Mf, 7, 17

- MinimumDistance, 12, 20
- MinkowskiDistance, 12, 20

- NewAggregFis, 3, 13
- NewAggregFunction, 3, 13
- NewAggregOwa, 3, 14
- NewAggregWam, 4, 14
- NewFisFusion, 15
- NewFusion, 7, 16
- NewFusionAggreg, 16, 16
- NewFusionInput, 16, 17
- NewZoning, 17, 22
- Node, 6, 16, 17
- numeric, 3, 4, 8, 10, 11, 13–15, 18–20

- sp, 6
- Spatial, 6
- SpatialLinesDataFrame, 21
- SpatialMultiPointsDataFrame, 21
- SpatialPointsDataFrame, 4, 21
- SpatialPolygons, 20, 21
- SpatialPolygonsDataFrame, 5, 22

- tolima, 18

- ZoneArea, 18, 20
- ZoneSize, 19, 20
- Zoning, 5, 8, 11, 12, 17–19, 19, 21