

Package ‘opdisDownsampling’

March 25, 2021

Type Package

Title Optimal Distribution Preserving Down-Sampling of Bio-Medical Data

Version 0.1.0

Author Jorn Lotsch[aut,cre], Sebastian Malkusch[aut], Alfred Ultsch[aut]

Maintainer Jorn Lotsch <j.lotsch@em.uni-frankfurt.de>

Description An optimized method for distribution-preserving class-proportional down-sampling of bio-medical data.

LazyData true

Imports caTools, twosamples, pracma, parallel, pbmcapply, methods, stats

Suggests testthat

Depends R (>= 3.5.0)

License GPL-3

Encoding UTF-8

NeedsCompilation no

Repository CRAN

Date/Publication 2021-03-25 08:40:02 UTC

R topics documented:

FlowcytometricData	2
GMMartificialData	2
opdisDownsampling	3

Index	4
--------------	----------

FlowcytometricData *Example data of hematologic marker expression.*

Description

Data set of 6 flow cytometry-based lymphoma makers from 55,843 cells from healthy subjects (class 1) and 55,843 cells from lymphoma patients (class 2).

Usage

```
data("FlowcytometricData")
```

Details

Size 111686 x 6 , stored in FlowcytometricData\$[Var_1,Var_2,Var_3,Var_4,Var_5,Var_6]
Classes 2, stored in FlowcytometricData\$Cls

Examples

```
data(FlowcytometricData)  
str(FlowcytometricData)
```

GMMartificialData *Example data an artificial Gaussioan mixture.*

Description

Dataset of 30000 instances with 10 variables that are Gaussian mixtures and belong to classes Cls = 1, 2, or 3, with different means and standard deviations and equal weights of 0.5, 0.4, and 0.1, respectively.

Usage

```
data("GMMartificialData")
```

Details

Size 30000 x 10, stored in GMMartificialData\$[X1,X2,X3,X4,X5,X6,X7,X8,X9,X10]
Classes 3, stored in GMMartificialData\$Cls

Examples

```
data(GMMartificialData)  
str(GMMartificialData)
```

opdisDownsampling *Optimal Distribution Preserving Down-Sampling of Bio-Medical Data*

Description

The package provides the necessary functions for optimal distribution-preserving down-sampling of large (bio-medical) data sets.

Usage

```
opdisDownsampling(Data, Cls, Size, Seed, nTrials,  
  TestStat = "ad", MaxCores = 8, JobSize = 10000)
```

Arguments

Data	the data as a vector, matrix or data frame.
Cls	the class information, if any, as a vector of similar length as instances in the data.
Size	the percentage of instances per class to be drawn.
Seed	a predefined seed to modify the results.
nTrials	how many samples to choose from should be randomly drawn.
TestStat	statistical criterion for similarity judgment.
MaxCores	maximum number of cpu cores to use for parallel computing.
JobSize	how many samples can be drawn at once.

Value

Returns a list of data containing the drawn samples and the omitted data.

ReducedData	the selected sample data and class information.
RemucedData	the not-selected sample data and class information.

Author(s)

Jorn Lotsch

References

Lotsch, J. (2021): opdisDownsampling – an R Package for optimal distribution-preserving down-sampling of large (bio-medical) data sets.

Examples

```
## example 1  
data(iris)  
Iris50percent <- opdisDownsampling(Data = iris[,1:4], Cls = as.integer(iris$Species),  
  Size = 50, MaxCores = 1)
```

Index

- * **data sampling**
 - [opdisDownsampling, 3](#)
- * **opdisDownsampling**
 - [opdisDownsampling, 3](#)
- [FlowcytometricData, 2](#)
- [GMMartificialData, 2](#)
- [opdisDownsampling, 3](#)