

Package ‘stringfish’

October 15, 2021

Title Alt String Implementation

Version 0.15.4

Date 2021-10-14

Maintainer Travers Ching <traversc@gmail.com>

Description Provides an extendable, performant and multithreaded 'alt-string' implementation backed by 'C++' vectors and strings.

License GPL-3

Biarch true

Encoding UTF-8

Depends R (>= 3.0.2)

SystemRequirements C++11, GNU make

LinkingTo Rcpp (>= 0.12.18.3), RcppParallel

Imports Rcpp, RcppParallel

Suggests qs, knitr, rmarkdown, usethis, dplyr, stringr, rlang

VignetteBuilder knitr

RoxygenNote 7.1.1

Copyright Copyright for the bundled 'PCRE2' library is held by University of Cambridge, Zoltan Herczeg and Tiera Coporation (Stack-less Just-In-Time compiler); Copyright for the bundled 'xxHash' code is held by Yann Collet.

URL <https://github.com/traversc/stringfish>

BugReports <https://github.com/traversc/stringfish/issues>

NeedsCompilation yes

Author Travers Ching [aut, cre, cph],
Phillip Hazel [ctb] (Bundled PCRE2 code),
Zoltan Herczeg [ctb, cph] (Bundled PCRE2 code),
University of Cambridge [cph] (Bundled PCRE2 code),
Tiera Corporation [cph] (Stack-less Just-In-Time compiler bundled with PCRE2),
Yann Collet [ctb, cph] (Yann Collet is the author of the bundled xxHash code)

Repository CRAN

Date/Publication 2021-10-15 10:40:02 UTC

R topics documented:

convert_to_sf	2
get_string_type	3
materialize	4
random_strings	4
sf_assign	5
sf_collapse	6
sf_compare	7
sf_concat	8
sf_ends	8
sf_grepl	9
sf_gsub	10
sf_Iconv	11
sf_match	12
sf_nchar	13
sf_paste	14
sf_readLines	15
sf_split	15
sf_starts	16
sf_substr	17
sf_tolower	18
sf_toupper	18
sf_trim	19
sf_vector	20
sf_writeLines	21
string_identical	21

Index **23**

convert_to_sf	<i>convert_to_sf</i>
---------------	----------------------

Description

Converts a character vector to a stringfish vector

Usage

convert_to_sf(x)

sf_convert(x)

Arguments

x A character vector

Details

Converts a character vector to a stringfish vector. The opposite of ‘materialize’.

Value

The converted character vector

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- convert_to_sf(letters)  
}
```

get_string_type *get_string_type*

Description

Returns the type of the character vector

Usage

```
get_string_type(x)
```

Arguments

x the vector

Details

A function that returns the type of character vector. Possible values are "normal vector", "stringfish vector", "stringfish vector (materialized)" or "other alt-rep vector"

Value

The type of vector

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- sf_vector(10)  
  get_string_type(x) # returns "stringfish vector"  
  x <- character(10)  
  get_string_type(x) # returns "normal vector"  
}
```

materialize

materialize

Description

Materializes an alt-rep object

Usage

```
materialize(x)
```

Arguments

x An alt-rep object

Details

Materializes any alt-rep object and then returns it. Note: the object is materialized regardless of whether the return value is assigned to a variable.

Value

x

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- sf_vector(10)  
  sf_assign(x, 1, "hello world")  
  sf_assign(x, 2, "another string")  
  x <- materialize(x)  
}
```

random_strings*random_strings*

Description

A function that generates random strings

Usage

```
random_strings(N, string_size = 50, charset = "abcdefghijklmnopqrstuvwxy",  
              vector_mode = "stringfish")
```

Arguments

N	The number of strings to generate
string_size	The length of the strings
charset	The characters used to generate the random strings (default: abcdefghijklmnopqrstu-vwxyz)
vector_mode	The type of character vector to generate (either stringfish or normal, default: stringfish)

Details

The function uses the PCRE2 library, which is also used internally by R. Note: the order of paramters is switched compared to the 'gsub' base R function, with subject being first. See also: <https://www.pcre.org/current/doc/html/pcre2api.html> for more documentation on match syntax.

Value

A character vector of the random strings

See Also

gsub

Examples

```
if(getRversion() >= "3.5.0") {  
  set.seed(1)  
  x <- random_strings(1e6, 80, "ACGT", vector_mode = "stringfish")  
}
```

sf_assign

sf_assign

Description

Assigns a new string to a stringfish vector or any other character vector

Usage

```
sf_assign(x, i, e)
```

Arguments

x	the vector
i	the index to assign to
e	the new string to replace at i in x

Details

A function to assign a new element to an existing character vector. If the the vector is a stringfish vector, it does so without materialization.

Value

No return value, the function assigns an element to an existing stringfish vector

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- sf_vector(10)  
  sf_assign(x, 1, "hello world")  
  sf_assign(x, 2, "another string")  
}
```

sf_collapse

sf_collapse

Description

Pastes a series of strings together separated by the ‘collapse’ parameter

Usage

```
sf_collapse(x, collapse)
```

Arguments

x	A character vector
collapse	A single string

Details

This works the same way as ‘paste0(x, collapse=collapse)’

Value

A single string with all values in ‘x’ pasted together, separated by ‘collapse’.

See Also

paste0, paste

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- c("hello", "\\xe4\\xb8\\x96\\xe7\\x95\\x8c")  
  Encoding(x) <- "UTF-8"  
  sf_collapse(x, " ") # "hello world" in Japanese  
  sf_collapse(letters, "") # returns the alphabet  
}
```

sf_compare

sf_compare

Description

Returns a logical vector testing equality of strings from two string vectors

Usage

```
sf_compare(x, y, nthreads = getOption("stringfish.nthreads", 1L))
```

```
sf_equals(x, y, nthreads = getOption("stringfish.nthreads", 1L))
```

Arguments

x	A character vector of length 1 or the same non-zero length as y
y	Another character vector of length 1 or the same non-zero length as y
nthreads	Number of threads to use

Details

Note: the function tests for both string and encoding equality

Value

A logical vector

Examples

```
if(getRversion() >= "3.5.0") {  
  sf_compare(letters, "a")  
}
```

sf_concat

sf_concat

Description

Appends vectors together

Usage

```
sf_concat(...)
```

```
sfc(...)
```

Arguments

... Any number of vectors, coerced to character vector if necessary

Value

A concatenated stringfish vector

Examples

```
if(getRversion() >= "3.5.0") {  
  sf_concat(letters, 1:5)  
}
```

sf_ends

sf_ends

Description

A function for detecting a pattern at the end of a string

Usage

```
sf_ends(subject, pattern, ...)
```

Arguments

subject A character vector
pattern A string to look for at the start
... Parameters passed to sf_grepl

Value

A logical vector true if there is a match, false if no match, NA if the subject was NA

See Also

endsWith, sf_starts

Examples

```
if(getRversion() >= "3.5.0") {
  x <- c("alpha", "beta", "gamma", "delta", "epsilon")
  sf_ends(x, "a")
}
```

 sf_grepl

sf_grepl

Description

A function that matches patterns and returns a logical vector

Usage

```
sf_grepl(subject, pattern, encode_mode = "auto", fixed = FALSE,
  nthreads = getOption("stringfish.nthreads", 1L))
```

Arguments

subject	The subject character vector to search
pattern	The pattern to search for
encode_mode	"auto", "UTF-8" or "byte". Determines multi-byte (UTF-8) characters or single-byte characters are used.
fixed	determines whether the pattern parameter should be interpreted literally or as a regular expression
nthreads	Number of threads to use

Details

The function uses the PCRE2 library, which is also used internally by R. The encoding is based on the pattern string (or forced via the encode_mode parameter). Note: the order of parameters is switched compared to the 'grepl' base R function, with subject being first. See also: <https://www.pcre.org/current/doc/html/pc> for more documentation on match syntax.

Value

A logical vector with the same length as subject

See Also

grepl

Examples

```

if(getRversion() >= "3.5.0") {
x <- sf_vector(10)
sf_assign(x, 1, "hello world")
pattern <- "^hello"
sf_grepl(x, pattern)
}

```

sf_gsub

*sf_gsub***Description**

A function that performs pattern substitution

Usage

```
sf_gsub(subject, pattern, replacement, encode_mode = "auto", fixed = FALSE,
nthreads = getOption("stringfish.nthreads", 1L))
```

Arguments

subject	The subject character vector to search
pattern	The pattern to search for
replacement	The replacement string
encode_mode	"auto", "UTF-8" or "byte". Determines multi-byte (UTF-8) characters or single-byte characters are used.
fixed	determines whether the pattern parameter should be interpreted literally or as a regular expression
nthreads	Number of threads to use

Details

The function uses the PCRE2 library, which is also used internally by R. However, syntax may be slightly different. E.g.: capture groups: "\1" in R, but "\$1" in PCRE2 (as in Perl). The encoding of the output is determined by the pattern (or forced using `encode_mode` parameter) and encodings should be compatible. E.g: mixing ASCII and UTF-8 is okay, but not UTF-8 and latin1. Note: the order of paramters is switched compared to the 'gsub' base R function, with subject being first. See also: <https://www.pcre.org/current/doc/html/pcr2api.html> for more documentation on match syntax.

Value

A stringfish vector of the replacement string

See Also

gsub

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- "hello world"  
  pattern <- "^hello (.+)"  
  replacement <- "goodbye $1"  
  sf_gsub(x, pattern, replacement)  
}
```

sf_iconv

sf_iconv

Description

Converts encoding of one character vector to another

Usage

```
sf_iconv(x, from, to, nthreads = getOption("stringfish.nthreads", 1L))
```

Arguments

x	An alt-rep object
from	the encoding to assume of 'x'
nthreads	Number of threads to use
to	the new encoding

Details

This is an analogue to the base R function 'iconv'. It converts a string from one encoding (e.g. latin1 or UTF-8) to another

Value

the converted character vector as a stringfish vector

See Also

iconv

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- "fa\xE7ile"  
  Encoding(x) <- "latin1"  
  sf_iconv(x, "latin1", "UTF-8")  
}
```

sf_match

sf_match

Description

Returns a vector of the positions of x in table

Usage

```
sf_match(x, table, nthreads = getOption("stringfish.nthreads", 1L))
```

Arguments

x	A character vector to search for in table
table	A character vector to be matched against x
nthreads	Number of threads to use

Details

Note: similarly to the base R function, long "table" vectors are not supported. This is due to the maximum integer value that can be returned (``.Machine$integer.max``)

Value

An integer vector of the indices of each x element's position in table

See Also

match

Examples

```
if(getRversion() >= "3.5.0") {  
  sf_match("c", letters)  
}
```

sf_nchar	<i>sf_nchar</i>
----------	-----------------

Description

Counts the number of characters in a character vector

Usage

```
sf_nchar(x, type = "chars", nthreads = getOption("stringfish.nthreads", 1L))
```

Arguments

x	A character vector
type	The type of counting to perform ("chars" or "bytes", default: "chars")
nthreads	Number of threads to use

Details

Returns the number of characters per string. The type of counting only matters for UTF-8 strings, where a character can be represented by multiple bytes.

Value

An integer vector of the number of characters

See Also

nchar

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- "fa\xE7ile"  
  Encoding(x) <- "latin1"  
  x <- sf_iconv(x, "latin1", "UTF-8")  
}
```

sf_paste	<i>sf_paste</i>
----------	-----------------

Description

Pastes a series of strings together

Usage

```
sf_paste(..., sep = "", nthreads = getOption("stringfish.nthreads", 1L))
```

Arguments

...	Any number of character vector strings
sep	The seperating string between strings
nthreads	Number of threads to use

Details

This works the same way as `'paste0(..., sep=sep)'`

Value

A character vector where elements of the arguments are pasted together

See Also

`paste0`, `paste`

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- letters  
  y <- LETTERS  
  sf_paste(x,y, sep = ":")  
}
```

sf_readLines	<i>sf_readLines</i>
--------------	---------------------

Description

A function that reads a file line by line

Usage

```
sf_readLines(file, encoding = "UTF-8")
```

Arguments

file	The file name
encoding	The encoding to use (Default: UTF-8)

Details

A function for reading in text data using 'std::ifstream'.

Value

A stringfish vector of the lines in a file

See Also

readLines

Examples

```
if(getRversion() >= "3.5.0") {  
  file <- tempfile()  
  sf_writelnLines(letters, file)  
  sf_readLines(file)  
}
```

sf_split	<i>sf_split</i>
----------	-----------------

Description

A function to split strings by a delimiter

Usage

```
sf_split(subject, split, encode_mode = "auto", fixed = FALSE,  
nthreads = getOption("stringfish.nthreads", 1L))
```

Arguments

subject	A character vector
split	A delimiter to split the string by
encode_mode	"auto", "UTF-8" or "byte". Determines multi-byte (UTF-8) characters or single-byte characters are used.
fixed	determines whether the split parameter should be interpreted literally or as a regular expression
nthreads	Number of threads to use

Value

A list of stringfish character vectors

See Also

strsplit

Examples

```
if(getRversion() >= "3.5.0") {
  sf_split(datasets::state.name, "\\s") # split U.S. state names by any space character
}
```

sf_starts

sf_starts

Description

A function for detecting a pattern at the start of a string

Usage

```
sf_starts(subject, pattern, ...)
```

Arguments

subject	A character vector
pattern	A string to look for at the start
...	Parameters passed to sf_grepl

Value

A logical vector true if there is a match, false if no match, NA if the subject was NA

See Also

startsWith, sf_ends

Examples

```

if(getRversion() >= "3.5.0") {
x <- c("alpha", "beta", "gamma", "delta", "epsilon")
sf_starts(x, "a")
}

```

sf_substr

sf_substr

Description

Extracts substrings from a character vector

Usage

```
sf_substr(x, start, stop, nthreads = getOption("stringfish.nthreads", 1L))
```

Arguments

x	A character vector
start	The beginning to extract from
stop	The end to extract from
nthreads	Number of threads to use

Details

This works the same way as ‘substr’, but in addition allows negative indexing. Negative indices count backwards from the end of the string, with -1 being the last character.

Value

A stringfish vector of substrings

See Also

substr

Examples

```

if(getRversion() >= "3.5.0") {
x <- c("fa\xE7ile", "hello world")
Encoding(x) <- "latin1"
x <- sf_iconv(x, "latin1", "UTF-8")
sf_substr(x, 4, -1) # extracts from the 4th character to the last
## [1] "ile" "lo world"
}

```

sf_toupper

sf_toupper

Description

A function converting a string to all lowercase

Usage

```
sf_toupper(x)
```

Arguments

x A character vector

Details

Note: the function only converts ASCII characters.

Value

A stringfish vector where all uppercase is converted to lowercase

See Also

tolower

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- LETTERS  
  sf_toupper(x)  
}
```

sf_toupper*sf_toupper*

Description

A function converting a string to all uppercase

Usage

```
sf_toupper(x)
```

Arguments

x A character vector

Details

Note: the function only converts ASCII characters.

Value

A stringfish vector where all lowercase is converted to uppercase

See Also

toupper

Examples

```
if(getRversion() >= "3.5.0") {
  x <- letters
  sf_toupper(x)
}
```

sf_trim

sf_trim

Description

A function to remove leading/trailing whitespace

Usage

```
sf_trim(subject, which = c("both", "left", "right"), whitespace = "[ \\t\\r\\n]", ...)
```

Arguments

subject A character vector
 which "both", "left", or "right" determines which white space is removed
 whitespace Whitespace characters (default: "[\\t\\r\\n]")
 ... Parameters passed to sf_gsub

Value

A stringfish vector of trimmed whitespace

See Also

trimws

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- c(" alpha ", " beta", " gamma ", "delta ", "epsilon ")  
  sf_trim(x)  
}
```

sf_vector

sf_vector

Description

Creates a new stringfish vector

Usage

```
sf_vector(len)
```

Arguments

len length of the new vector

Details

This function creates a new stringfish vector, an alt-rep character vector backed by a C++ "std::vector" as the internal memory representation. The vector type is "sfstring", which is a simple C++ class containing a "std::string" and a single byte (uint8_t) representing the encoding.

Value

A new (empty) stringfish vector

Examples

```
if(getRversion() >= "3.5.0") {  
  x <- sf_vector(10)  
  sf_assign(x, 1, "hello world")  
  sf_assign(x, 2, "another string")  
}
```

sf_writeLines	<i>sf_writeLines</i>
---------------	----------------------

Description

A function that reads a file line by line

Usage

```
sf_writeLines(text, file, sep = "\n", na_value = "NA", encode_mode = "UTF-8")
```

Arguments

text	A character to write to file
file	Name of the file to write to
sep	The line separator character(s)
na_value	What to write in case of a NA string
encode_mode	"UTF-8" or "byte". If "UTF-8", all strings are re-encoded as UTF-8.

Details

A function for writing text data using 'std::ofstream'.

See Also

writeLines

Examples

```
if(getRversion() >= "3.5.0") {  
  file <- tempfile()  
  sf_writelnines(letters, file)  
  sf_readlines(file)  
}
```

string_identical	<i>string_identical</i>
------------------	-------------------------

Description

A stricter comparison of string equality

Usage

```
string_identical(x, y)
```

Arguments

x	A character vector
y	Another character to compare to x

Value

TRUE if strings are identical, including encoding

See Also

`identical`

Index

convert_to_sf, 2
get_string_type, 3
materialize, 4
random_strings, 4
sf_assign, 5
sf_collapse, 6
sf_compare, 7
sf_concat, 8
sf_convert (convert_to_sf), 2
sf_ends, 8
sf_equals (sf_compare), 7
sf_grepl, 9
sf_gsub, 10
sf_iconv, 11
sf_match, 12
sf_nchar, 13
sf_paste, 14
sf_readLines, 15
sf_split, 15
sf_starts, 16
sf_substr, 17
sf_tolower, 18
sf_toupper, 18
sf_trim, 19
sf_vector, 20
sf_writeLines, 21
sfc (sf_concat), 8
string_identical, 21